

18 Month Well Check

Forms Included in this packet:

- 1) Hepatitis A Vaccine Information Sheet
- 2) Immunization Questionnaire
- 3) Lead Risk Assessment Form
- 4) Vaccines For Children Form
- 5) TB Risk Assessment Form
- 6) M-CHAT Assessment Questionnaire

Please fill these forms out and bring them to the appointment with you.

At each appointment you will be asked for the following:

Driver's License (or state issued ID card)

Current Insurance Card

Copay (If you cannot pay your copay, please call to reschedule your appointment)

Confirmation of your demographic information and to provide any missing information. (This can be done online via our patient portal)

To avoid FEES:

- 1) Call to reschedule or cancel appointments no less than 24 hours before your scheduled appointment time.
- 2) Bring all forms you need with you and request them during the appointment.
- 3) Call to add an additional child(ren) to an existing appointment and understand that a change in time may be necessary to accommodate your need.

Hepatitis A Vaccine

What You Need to Know

Many Vaccine Information Statements are available in Spanish and other languages. See www.immunize.org/vis

Hojas de información sobre vacunas están disponibles en español y en muchos otros idiomas. Visite www.immunize.org/vis

1 What is hepatitis A?

Hepatitis A is a serious liver disease caused by the hepatitis A virus (HAV). HAV is found in the stool of people with hepatitis A.

It is usually spread by close personal contact and sometimes by eating food or drinking water containing HAV. A person who has hepatitis A can easily pass the disease to others within the same household.

Hepatitis A can cause:

- “flu-like” illness
- jaundice (yellow skin or eyes, dark urine)
- severe stomach pains and diarrhea (children)

People with hepatitis A often have to be hospitalized (up to about 1 person in 5).

Adults with hepatitis A are often too ill to work for up to a month.

Sometimes, people die as a result of hepatitis A (about 3–6 deaths per 1,000 cases).

Hepatitis A vaccine can prevent hepatitis A.

2 Who should get hepatitis A vaccine and when?

WHO

Some people should be routinely vaccinated with hepatitis A vaccine:

- All children between their first and second birthdays (12 through 23 months of age).
- Anyone 1 year of age and older traveling to or working in countries with high or intermediate prevalence of hepatitis A, such as those located in Central or South America, Mexico, Asia (except Japan), Africa, and eastern Europe. For more information see www.cdc.gov/travel.
- Children and adolescents 2 through 18 years of age who live in states or communities where routine vaccination has been implemented because of high disease incidence.
- Men who have sex with men.
- People who use street drugs.
- People with chronic liver disease.

- People who are treated with clotting factor concentrates.
- People who work with HAV-infected primates or who work with HAV in research laboratories.
- Members of households planning to adopt a child, or care for a newly arriving adopted child, from a country where hepatitis A is common.

Other people might get hepatitis A vaccine in certain situations (ask your doctor for more details):

- Unvaccinated children or adolescents in communities where outbreaks of hepatitis A are occurring.
- Unvaccinated people who have been exposed to hepatitis A virus.
- Anyone 1 year of age or older who wants protection from hepatitis A.

Hepatitis A vaccine is not licensed for children younger than 1 year of age.

WHEN

For children, the first dose should be given at 12 through 23 months of age. Children who are not vaccinated by 2 years of age can be vaccinated at later visits.

For others at risk, the hepatitis A vaccine series may be started whenever a person wishes to be protected or is at risk of infection.

For travelers, it is best to start the vaccine series at least one month before traveling. (Some protection may still result if the vaccine is given on or closer to the travel date.)

Some people who cannot get the vaccine before traveling, or for whom the vaccine might not be effective, can get a shot called immune globulin (IG). IG gives immediate, temporary protection.

Two doses of the vaccine are needed for lasting protection. These doses should be given at least 6 months apart.

Hepatitis A vaccine may be given at the same time as other vaccines.



3**Some people should not get hepatitis A vaccine or should wait.**

- Anyone who has ever had a severe (life threatening) allergic reaction to a previous dose of hepatitis A vaccine should not get another dose.
- Anyone who has a severe (life threatening) allergy to any vaccine component should not get the vaccine.
- **Tell your doctor if you have any severe allergies**, including a severe allergy to latex. All hepatitis A vaccines contain alum, and some hepatitis A vaccines contain 2-phenoxyethanol.
- Anyone who is moderately or severely ill at the time the shot is scheduled should probably wait until they recover. Ask your doctor. People with a mild illness can usually get the vaccine.
- Tell your doctor if you are pregnant. Because hepatitis A vaccine is inactivated (killed), the risk to a pregnant woman or her unborn baby is believed to be very low. But your doctor can weigh any theoretical risk from the vaccine against the need for protection.

4**What are the risks from hepatitis A vaccine?**

A vaccine, like any medicine, could possibly cause serious problems, such as severe allergic reactions. The risk of hepatitis A vaccine causing serious harm, or death, is extremely small.

Getting hepatitis A vaccine is much safer than getting the disease.

Mild problems

- soreness where the shot was given (*about 1 out of 2 adults, and up to 1 out of 6 children*)
- headache (*about 1 out of 6 adults and 1 out of 25 children*)
- loss of appetite (*about 1 out of 12 children*)
- tiredness (*about 1 out of 14 adults*)

If these problems occur, they usually last 1 or 2 days.

Severe problems

- serious allergic reaction, within a few minutes to a few hours after the shot (*very rare*).

5**What if there is a serious reaction?****What should I look for?**

- Look for anything that concerns you, such as signs of a severe allergic reaction, very high fever, or behavior changes.

Signs of a severe allergic reaction can include hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, and weakness. These would start a few minutes to a few hours after the vaccination.

What should I do?

- If you think it is a severe allergic reaction or other emergency that can't wait, call 9-1-1 or get the person to the nearest hospital. Otherwise, call your doctor.
- Afterward, the reaction should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your doctor might file this report, or you can do it yourself through the VAERS web site at www.vaers.hhs.gov, or by calling **1-800-822-7967**.

VAERS is only for reporting reactions. They do not give medical advice.

6**The National Vaccine Injury Compensation Program**

The National Vaccine Injury Compensation Program (VICP) is a federal program that was created to compensate people who may have been injured by certain vaccines.

Persons who believe they may have been injured by a vaccine can learn about the program and about filing a claim by calling **1-800-338-2382** or visiting the VICP website at www.hrsa.gov/vaccinecompensation.

7**How can I learn more?**

- Ask your doctor.
- Call your local or state health department.
- Contact the Centers for Disease Control and Prevention (CDC):
 - Call **1-800-232-4636 (1-800-CDC-INFO)** or
 - Visit CDC's website at www.cdc.gov/vaccines

**Vaccine Information Statement (Interim)
Hepatitis A Vaccine**

10/25/2011

42 U.S.C. § 300aa-26

Office Use Only



Patient name: _____ Date of birth: ____/____/____
 (mo.) (day) (yr.)

Screening Questionnaire for Child and Teen Immunization



For parents/guardians: The following questions will help us determine which vaccines your child may be given today. If you answer “yes” to any question, it does not necessarily mean your child should not be vaccinated. It just means additional questions must be asked. If a question is not clear, please ask your healthcare provider to explain it.

	Yes	No	Don't Know
1. Is the child sick today?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Does the child have allergies to medications, food, or any vaccine?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Has the child had a serious reaction to a vaccine in the past?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Has the child had a health problem with asthma, lung disease, heart disease, kidney disease, metabolic disease (e.g., diabetes), or a blood disorder?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. If the child to be vaccinated is between the ages of 2 and 4 years, has a healthcare provider told you that the child had wheezing or asthma in the past 12 months?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Has the child had a seizure, brain, or other nervous system problem?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Does the child have cancer, leukemia, AIDS, or any other immune system problem?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Has the child taken cortisone, prednisone, other steroids, or anticancer drugs, or had radiation treatments in the past 3 months?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Has the child received a transfusion of blood or blood products, or been given immune (gamma) globulin or an antiviral drug in the past year?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Is the child/teen pregnant or is there a chance she could become pregnant during the next month?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Has the child received vaccinations in the past 4 weeks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Form completed by: _____

Date: _____

Form reviewed by: _____

Date: _____

Did you bring your child's immunization record card with you? yes no

It is important to have a personal record of your child's vaccinations. If you don't have a personal record, ask the child's healthcare provider to give you one with all your child's vaccinations on it. Keep this record in a safe place and bring it with you every time you seek medical care for your child. Your child will need this important document for the rest of his or her life to enter day care or school, for employment, or for international travel.

**Illinois Department of Public Health
Childhood Lead Risk Assessment Questionnaire**

**ALL CHILDREN 6 MONTHS THROUGH 6 YEARS OF AGE MUST BE ASSESSED FOR LEAD POISONING
(410 ILCS 45/6.2)**

Name _____ Today's Date _____

Age _____ Birthdate _____ ZIP Code _____

Respond to the following questions by circling the appropriate answer.	R E S P O N S E
---	------------------------

- | | |
|---|-------------------|
| 1. Is this child eligible for or enrolled in Medicaid, Head Start, All Kids or WIC? | Yes No Don't Know |
| 2. Does this child have a sibling with a blood lead level of 10 mcg/dL or higher? | Yes No Don't Know |
| 3. Does this child live in or regularly visit a home built before 1978? | Yes No Don't Know |
| 4. In the past year, has this child been exposed to repairs, repainting or renovation of a home built before 1978? | Yes No Don't Know |
| 5. Is this child a refugee or an adoptee from any foreign country? | Yes No Don't Know |
| 6. Has this child ever been to Mexico, Central or South America, Asian countries (i.e., China or India), or any country where exposure to lead from certain items could have occurred (for example, cosmetics, home remedies, folk medicines or glazed pottery)? | Yes No Don't Know |
| 7. Does this child live with someone who has a job or a hobby that may involve lead (for example, jewelry making, building renovation or repair, bridge construction, plumbing, furniture refinishing, or work with automobile batteries or radiators, lead solder, leaded glass, lead shots, bullets or lead fishing sinkers)? | Yes No Don't Know |
| 8. At any time, has this child lived near a factory where lead is used (for example, a lead smelter or a paint factory)? | Yes No Don't Know |
| 9. Does this child reside in a high-risk ZIP code area? | Yes No Don't Know |

A blood lead test should be performed on children:

- with any "Yes" or "Don't Know" response
- living in a high-risk ZIP code area

All Medicaid-eligible children should have a blood lead test at 12 months of age and at 24 months of age. If a Medicaid-eligible child between 36 months and 72 months of age has not been previously tested, a blood lead test should be performed.

If there is any "Yes" or "Don't Know" response; **and**

- there has been no change in the child's living conditions; **and**
- the child has proof of two consecutive blood lead test results (documented below) that are each less than 10 mcg/dL (with one test at age 2 or older), a blood lead test is not needed at this time.

Test 1: Blood Lead Result _____ mcg/dL Date _____ Test 2: Blood Lead Result _____ mcg/dL Date _____

If responses to all the questions are "NO," re-evaluate at every well child visit or more often if deemed necessary.

Signature of Doctor/Nurse

Date

Illinois Lead Program
866-909-3572 or 217-782-3517
TTY (hearing impaired use only) 800-547-0466

High-Risk ZIP Codes for Pediatric Blood Lead Poisoning

Adams	62567	Effingham	62367	Knox	62526	61466	62976	60942
62301	62570	None	62373	61401	62537	61476	62992	60960
62320	Clark	Fayette	62379	61410	62551	61486	Putnam	60963
62324	62420	62458	62380	61414	Macoupin	Monroe	61336	61810
62339	62442	62880	Hardin	61436	62009	None	61340	61831
62346	62474	62885	62919	61439	62033	Montgomery	61363	61832
62348	62477	Ford	62982	61458	62069	62015	Randolph	61833
62349	62478	60919	Henderson	61467	62085	62019	62217	61844
62365	Clay	60933	61418	61474	62088	62032	62242	61848
Alexander	62824	60936	61425	61485	62093	62049	62272	61857
62914	62879	60946	61454	61489	62626	62051	Richland	61865
62988	Clinton	60952	61460	61572	62630	62056	62419	61870
Bond	62219	60957	61469	Lake	62640	62075	62425	61876
62273	Coles	60959	61471	60040	62649	62077	Rock Island	61883
Boone	61931	60962	61480	LaSalle	62672	62089	61201	Wabash
61038	61938	61773	Henry	60470	62674	62091	61236	62410
Brown	61943	Franklin	61234	60518	62685	62094	61239	62852
62353	62469	62812	61235	60531	62686	62538	61259	62863
62375	Cook	62819	61238	61301	62690	Morgan	61265	Warren
62378	All Chicago	62822	61274	61316	Madison	62601	61279	61412
Bureau	ZIP Codes	62825	61413	61321	62002	62628	St. Clair	61417
61312	60043	62874	61419	61325	62048	62631	62201	61423
61314	60104	62884	61434	61332	62058	62692	62203	61435
61315	60153	62891	61443	61334	62060	62695	62204	61447
61322	60201	62896	61468	61342	62084	Moultrie	62205	61453
61323	60202	62983	61490	61348	62090	61937	62220	61462
61328	60301	62999	Iroquois	61354	62095	Ogle	62289	61473
61329	60302	Fulton	60911	61358	Marion	61007	Saline	61478
61330	60304	61415	60912	61364	None	61030	62930	Washington
61337	60305	61427	60924	61370	Marshall	61047	62946	62214
61338	60402	61431	60926	61372	61369	61049	Sangamon	62803
61344	60406	61432	60930	Lawrence	61377	61054	62625	Wayne
61345	60456	61441	60931	62439	61424	61064	62689	62446
61346	60501	61477	60938	62460	61537	61091	62703	62823
61349	60513	61482	60945	62466	61541	Peoria	Schuyler	62843
61359	60534	61484	60951	Lee	Mason	61451	61452	62886
61361	60546	61501	60953	60553	62617	61529	62319	White
61362	60804	61519	60955	61006	62633	61539	62344	62820
61368	Crawford	61520	60966	61031	62644	61552	62624	62821
61374	62433	61524	60967	61042	62655	61602	62639	62835
61376	62449	61531	60968	61310	62664	61603	Scott	62844
61379	62451	61542	60973	61318	62682	61604	62621	62887
Calhoun	Cumberland	61543	Jackson	61324	Massac	61605	62663	Whiteside
62006	62428	61544	62927	61331	62953	61606	62694	61037
62013	DeWitt	61563	62940	61353	McDonough	Perry	Shelby	61243
62036	61727	Gallatin	62950	61378	61411	62832	62438	61251
62070	61735	62934	Jasper	Livingston	61416	62997	62534	61261
Carroll	61749	Greene	62432	60420	61420	Piatt	62553	61270
61014	61750	62016	62434	60460	61422	61813	Stark	61277
61051	61777	62027	62459	60920	61438	61830	61421	61283
61053	61778	62044	62475	60921	61440	61839	61426	Will
61074	61882	62050	62480	60929	61470	61855	61449	60432
61078	DeKalb	62054	Jefferson	60934	61475	61929	61479	60433
Cass	60111	62078	62883	61311	62374	61936	61483	60436
62611	60129	62081	Jersey	61313	McHenry	Pike	61491	Williamson
62618	60146	62082	62030	61333	60034	62312	Stephenson	62921
62627	60550	62092	62063	61740	McLean	62314	61018	62948
62691	Douglas	Grundy	Jo Daviess	61741	61701	62323	61032	62949
Champaign	61930	60437	61028	61743	61720	62340	61039	62951
61815	61941	60474	61075	61769	61722	62343	61044	Winnebago
61816	61942	Hamilton	61085	61775	61724	62345	61050	61077
61845	DuPage	62817	61087	Logan	61728	62352	61060	61101
61849	60519	62828	Johnson	62512	61730	62355	61062	61102
61851	Edgar	62829	62908	62518	61731	62356	61067	61103
61852	61917	62859	62923	62519	61737	62357	61089	61104
61862	61924	Hancock	Kane	62548	61770	62361	Tazewell	Woodford
61872	61932	61450	60120	62543	Menard	62362	61564	61516
Christian	61933	62311	60505	62635	62642	62363	61721	61545
62083	61940	62313	Kankakee	62643	62673	62366	61734	61570
62510	61944	62316	60901	62666	62688	62370	Union	61760
62517	61949	62318	60910	62671	Mercer	Pope	62905	61771
62540	Edwards	62321	60917	Macon	61231	None	62906	
62546	62476	62330	60954	62514	61260	Pulaski	62920	
62555	62806	62334	60969	62521	61263	62956	62926	
62556	62815	62336	Kendall	62522	61276	62963	Vermilion	
62557	62818	62354	None	62523	61465	62964	60932	



Tuberculosis (TB) Risk Assessment

Patient Name: _____ Date: _____

1. Does your child have a first degree relative or person living in your home with a positive tuberculosis test or who is being treated for tuberculosis? Yes No
2. Has your child travelled outside the country? Yes N
3. If yes, what country? _____
4. Is your child a recent immigrant or has he/she been adopted from outside this country? Yes No
5. Does your child have a close contact that is in prison? Yes No
6. Does your child have regular exposure to a nursing home or other long-term care facility? Yes No

Signature of parent/guardian: _____

Signature of physician: _____



Child's name _____
Age _____

Date _____
Relationship to child _____

M-CHAT-R™ (Modified Checklist for Autism in Toddlers Revised)

Please answer these questions about your child. Keep in mind how your child usually behaves. If you have seen your child do the behavior a few times, but he or she does not usually do it, then please answer **no**. Please circle **yes** or **no** for every question. Thank you very much.

- | | | |
|--|-----|----|
| 1. If you point at something across the room, does your child look at it?
(FOR EXAMPLE , if you point at a toy or an animal, does your child look at the toy or animal?) | Yes | No |
| 2. Have you ever wondered if your child might be deaf? | Yes | No |
| 3. Does your child play pretend or make-believe? (FOR EXAMPLE , pretend to drink from an empty cup, pretend to talk on a phone, or pretend to feed a doll or stuffed animal?) | Yes | No |
| 4. Does your child like climbing on things? (FOR EXAMPLE , furniture, playground equipment, or stairs) | Yes | No |
| 5. Does your child make <u>unusual</u> finger movements near his or her eyes?
(FOR EXAMPLE , does your child wiggle his or her fingers close to his or her eyes?) | Yes | No |
| 6. Does your child point with one finger to ask for something or to get help?
(FOR EXAMPLE , pointing to a snack or toy that is out of reach) | Yes | No |
| 7. Does your child point with one finger to show you something interesting?
(FOR EXAMPLE , pointing to an airplane in the sky or a big truck in the road) | Yes | No |
| 8. Is your child interested in other children? (FOR EXAMPLE , does your child watch other children, smile at them, or go to them?) | Yes | No |
| 9. Does your child show you things by bringing them to you or holding them up for you to see – not to get help, but just to share? (FOR EXAMPLE , showing you a flower, a stuffed animal, or a toy truck) | Yes | No |
| 10. Does your child respond when you call his or her name? (FOR EXAMPLE , does he or she look up, talk or babble, or stop what he or she is doing when you call his or her name?) | Yes | No |
| 11. When you smile at your child, does he or she smile back at you? | Yes | No |
| 12. Does your child get upset by everyday noises? (FOR EXAMPLE , does your child scream or cry to noise such as a vacuum cleaner or loud music?) | Yes | No |
| 13. Does your child walk? | Yes | No |
| 14. Does your child look you in the eye when you are talking to him or her, playing with him or her, or dressing him or her? | Yes | No |
| 15. Does your child try to copy what you do? (FOR EXAMPLE , wave bye-bye, clap, or make a funny noise when you do) | Yes | No |
| 16. If you turn your head to look at something, does your child look around to see what you are looking at? | Yes | No |
| 17. Does your child try to get you to watch him or her? (FOR EXAMPLE , does your child look at you for praise, or say “look” or “watch me”?) | Yes | No |
| 18. Does your child understand when you tell him or her to do something?
(FOR EXAMPLE , if you don't point, can your child understand “put the book on the chair” or “bring me the blanket”?) | Yes | No |
| 19. If something new happens, does your child look at your face to see how you feel about it?
(FOR EXAMPLE , if he or she hears a strange or funny noise, or sees a new toy, will he or she look at your face?) | Yes | No |
| 20. Does your child like movement activities?
(FOR EXAMPLE , being swung or bounced on your knee) | Yes | No |